

Footnote arrangement

The display method of the footnote can be specified by `axf:footnote-stacking`. Footnotes are positioned in block progression direction by specifying `axf:footnote-stacking="block"`. By setting "inline", they will be positioned in inline progression direction. The default value is "block".

AH Formatter is a most powerful formatting and printing software ⁽¹⁾ using XSL-FO and XML/HTML with CSS. ⁽²⁾

This software conforms to XSL 1.1, ⁽³⁾ which is a specification for displaying / printing XML documents in a fine manner. Also it supports the page formatting with the layout setting by the CSS Level 3 specification which is currently under formulation in the CSS Working Group.

⁽¹⁾ Depending on the formatting capability, AH Formatter (formatting using XSL-FO and CSS) and AH CSS Formatter (formatting using CSS) are available.

⁽²⁾ XSL-FO and CSS cannot be mixed.

⁽³⁾ See also [XSL-FO Conformance] in the online manual.

In this page, footnotes are positioned in inline progression direction by specifying `axf:footnote-stacking="inline"`.

AH Formatter is a a most powerful formatting and printing software ⁽¹⁾ using XSL-FO and XML/HTML with CSS. ⁽²⁾

This software conforms to XSL 1.1, ⁽³⁾ which is a specification for displaying / printing XML documents in a fine manner. Also it supports the page formatting with the layout setting by the CSS Level 3 specification which is currently under formulation in the CSS Working Group.

⁽¹⁾ Depending on the formatting capability, AH Formatter (formatting using XSL-FO and CSS) and AH CSS Formatter (formatting using CSS) are available. ⁽²⁾ XSL-FO and CSS cannot be mixed. ⁽³⁾ See also [XSL-FO Conformance] in the online manual.