

Creating a footnote number and specifying a default value

You can create and cite a footnote number by using `axf:footnote-number` and `axf:footnote-number-citation`. Generally, footnote number has its value calculated with a stylesheet in advance and fixed value is output to XSL-FO. However, using these properties, the value is determined when the document has been formatted. Also, footnote format can be changed for each `fo:page-sequence` and a default value can be changed by `axf:footnote-number-initial`.

AH Formatter is a most powerful formatting and printing software ^(a) using XSL-FO and XML/HTML with CSS. ^(b)

This software conforms to XSL 1.1, ^(c) which is a specification for displaying / printing XML documents in a fine manner. Also it supports the page formatting with the layout setting by the CSS Level 3 specification which is currently under formulation in the CSS Working Group.

^(a) Depending on the formatting capability, AH Formatter (formatting using XSL-FO and CSS) and AH CSS Formatter (formatting using CSS) are available.

^(b) XSL-FO and CSS cannot be mixed.

^(c) See also [XSL-FO Conformance] in the online manual.

In this page, the default value and display format of the first page and footnote number are changed by specifying `axf:footnote-number-format="*1"`, `axf:footnote-number-initial="10"` with a new `fo:page-sequence`.

AH Formatter is a most powerful formatting and printing software^{*10} using XSL-FO and XML/HTML with CSS.^{*11}

This software conforms to XSL 1.1,^{*12} which is a specification for displaying / printing XML documents in a fine manner. Also it supports the page formatting with the layout setting by the CSS Level 3 specification which is currently under formulation in the CSS Working Group.

^{*10} Depending on the formatting capability, AH Formatter (formatting using XSL-FO and CSS) and AH CSS Formatter (formatting using CSS) are available.

^{*11} XSL-FO and CSS cannot be mixed.

^{*12} See also [XSL-FO Conformance] in the online manual.