

# Ruby alignment

With `axf:ruby-align`, you can specify the ruby alignment. Also you can specify the ruby alignment against its base character with `axf:ruby-position`, spacing between ruby and its base character with `axf:ruby-offset`, and whether to permit the use of a small kana as ruby for its base character with `axf:ruby-small-kana`.

## `axf:ruby-align` (to specify ruby alignment)

Example of aligning ruby with start (left-aligned), center (centering) and end (right-aligned) of its base character:

`ruby-align="start"`

ち  
地

`ruby-align="center"`

ち  
地

`ruby-align="end"`

ち  
地

Example of aligning ruby with `distribute-space` (a white space is given before and after ruby) and with `distribute-letter` (no white space is given before and after ruby):

`ruby-align="distribute-space"`

あじさい  
紫陽花

`ruby-align="distribute-letter"`

あじさい  
紫陽花

## `axf:ruby-position` (to specify the ruby alignment against its base character)

Example of aligning a ruby with `before` (on the before side of its base character) and `after` (on the after side of its base character):

`axf:ruby-position="before"` (Initial)

あじさい  
紫陽花

`axf:ruby-position="after"`

紫陽花  
あじさい

## `axf:ruby-offset` (to specify spacing between ruby and a parent character)

Example of specifying spacing between ruby and a parent character with number (a value multiplied with font size of ruby), length (specified length) and percentage (a value multiplied with font size):

`axf:ruby axf:ruby-offset="0pt"` (Initial)

あじさい  
紫陽花

`axf:ruby axf:ruby-offset="5pt"`

あじさい  
紫陽花

## `axf:ruby-small-kana` (to specify to permit the use of a small kana as ruby)

Example of specifying `auto` (small letters are permitted) and `convert` (small letters are converted to regular-sized letters):

`axf:ruby-small-kana="auto"` (Initial)

ちよつと  
一寸

`axf:ruby-small-kana="convert"`

ちよつと  
一寸