

Rendering where inline content overflows

Use `axf:text-overflow` to control rendering where inline content overflows in the inline progression direction. `axf:text-overflow` applies to in the inline progression direction and does not affect overflow in the block progression direction. This feature is effective only when `overflow="hidden"`. The allowed values are: `clip` (default: no processing is performed even if an overflow occurs); `ellipsis` (insert an ellipsis (U+2026) where the content overflows); and `<string>` (insert the specified character string where the content overflows). If the first character overflows, then it is clipped rather than ellipsed. For more details on [axf:text-overflow](#), please refer to the Online Manual. `axf:text-overflow` is available in AH Formatter V6.5.

`axf:text-overflow="clip"`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nul

`axf:text-overflow="ellipsis"`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. ...

`axf:text-overflow="→"`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. →

`axf:text-overflow` in columns

`axf:text-overflow="clip"`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla consequ

`axf:text-overflow="ellipsis"`

Lorem ipsum dolor sit amet, co...

`axf:text-overflow="→"`

Lorem ipsum dolor sit amet, co→

`axf:text-overflow` with right-to-left languages

`axf:text-overflow="clip"`

כל בני אדם נולדו בני חורין ושווים בערכם ובזכויותיהם. כולם חוננו בתבונה

`axf:text-overflow="ellipsis"`

כל בני אדם נולדו בני חורין ושווים בערכם ובזכויותיהם. כולם חוננו בת...

`axf:text-overflow="←"`

כל בני אדם נולדו בני חורין ושווים בערכם ובזכויותיהם. כולם חוננו בת←