

`<fo:float axf:float-reference="page" axf:float-x="none" axf:float-y="top">` (Position the float at the top of the page.)

## Page floats

AH Formatter extends the float feature to position the float in any positions on the page or position it across multiple columns. The reference area where the float is positioned can be specified by '[axf:float-reference](#)'. Available values are 'auto', 'normal', 'page', 'multicol' and 'column'. Specify 'axf:float-x' for arranging the horizontal position of the float, specify 'axf:float-y' for the vertical position. This sample shows the page float specified by `axf:float-reference="page"`.

`<fo:float axf:float-reference="page" axf:float-x="right" axf:float-y="top">` (Position the float at the upper right of the page.)

You can also use the shorthand property, 'axf:float', to specify the float-related extended properties at once. The following shows the same result but the different approach of using individual properties and using shorthand property.

Using individual extended properties (Position the float on top of the page.)

`<fo:float axf:float-reference="page" axf:float-x="none" axf:float-y="top">`

Using the shorthand property (Position the float at the top of the page.)

`<fo:float axf:float="page top">`

`<fo:float axf:float-reference="page" axf:float-x="inside" axf:float-y="center">`

(Position the float at the inner edge of the page, center of the page.)

`<fo:float axf:float-reference="page" axf:float-x="outside" axf:float-y="center">`

(Position the float at the outer edge of the page, center of the page.)

`<fo:float axf:float-reference="page" axf:float-x="left" axf:float-y="bottom">` (Position the float at the bottom left of the page.)

`<fo:float axf:float-reference="page" axf:float-x="none" axf:float-y="bottom">` (Position the float at the bottom of the page.)