

Tabs

Here are some examples of tab structures. `<axf:tab>` adds white-space up to the next tab position. Specify the tab position with `'axf:tab-stops'`. Other tab positioning properties include `'axf:tab-align'` and `'axf:tab-treatment'` for handling of tab characters, plus `'axf:tab-overlap-treatment'` for when characters overlap tab positions. See also "[Tab](#)" in the Online Manual for further details. The tab feature is available in Antenna House Formatter V6.3 and later.

`<axf:tab/>`

```
AA BBBBBBBB C
   DDD   EE  FFF GGGG
```

`axf:tab-stops="2em"`

```
AA BBBBBBBB C
   DDD   EE  FFF GGGG
```

`axf:tab-stops="10em"`

```
AA           BBBBBBBB      C
                DDD           EE           FFF           GGGG
```

`axf:tab-stops="5em 3em 3em 5em"`

```
AA           BBBBBBBB C
                DDD EE  FFF      GGGG
```

`axf:tab-stops="decimal 5em end 10em start 5em"`

```
      1.2345      12.345      123.45
123.4567      1234.567      12345.67
```

`'tab-align' (tab-align="decimal")`

```
      1.2345      12.345      123.45
123.4567      1234.567      12345.67
```

`'axf:tab-treatment' (axf:tab-treatment="20")`

```
AA           BBBBBBBB      C
DDD           EE           FFF      GGGG
```

`'axf:tab-overlap-treatment'`

```
axf:tab-overlap-treatment="auto"      AABBBBBBBB CDDD EE FFFGGGG
axf:tab-overlap-treatment="ignore-tab" AABBBBBBBB CDDD EE FFFGGGG
axf:tab-overlap-treatment="next-tab"  AA BBBBBBBB C   DDD EE FFF GGGG
```