

Footnote arrangement

The display method of the footnote can be specified by '[axf:footnote-stacking](#)'. Footnotes are positioned in the block progression direction by specifying `axf:footnote-stacking="block"`. By setting 'inline', they will be positioned in the inline progression direction. The default value is 'block'.

AH Formatter is a most powerful formatting and printing software⁽¹⁾ using XSL-FO and XML/HTML with CSS.⁽²⁾

This software conforms to XSL 1.1,⁽³⁾ which is a specification for displaying / printing XML documents in a fine manner. Also it supports the page formatting with the layout setting by the CSS Level 3 specification which is currently under formulation in the CSS Working Group.

⁽¹⁾ Depending on the formatting capability, AH Formatter (formatting using XSL-FO and CSS) and AH CSS Formatter (formatting using CSS) are available.

⁽²⁾ XSL-FO and CSS cannot be mixed.

⁽³⁾ See also "[XSL-FO Conformance](#)" in the Online Manual.

The footnotes on this page are positioned in the inline progression direction by specifying `axf:footnote-stacking="inline"`.

AH Formatter is a most powerful formatting and printing software⁽¹⁾ using XSL-FO and XML/HTML with CSS.⁽²⁾

This software conforms to XSL 1.1,⁽³⁾ which is a specification for displaying / printing XML documents in a fine manner. Also it supports the page formatting with the layout setting by the CSS Level 3 specification which is currently under formulation in the CSS Working Group.

⁽¹⁾ Depending on the formatting capability, AH Formatter (formatting using XSL-FO and CSS) and AH CSS Formatter (formatting using CSS) are available.⁽²⁾ XSL-FO and CSS cannot be mixed.⁽³⁾ See also "[XSL-FO Conformance](#)" in the Online Manual.