

# Content of a table cell split by a page break

The content of a cell that is being split by a page break can be specified using '[axf:table-cell-repeated-marker](#)'. When `axf:repeat-cell-content-at-break="true"` is specified to a cell and '[axf:table-cell-repeated-marker](#)' is also included in the cell, the content specified by '[axf:table-cell-repeated-marker](#)' replaces the copied cell content. In this example, "(Continued)" is added to the repeated content.

## 'axf:repeat-cell-content-at-break' is 'false' or is unspecified

Product type	Item	Item Details
Product type 1	Item A	Item A Details 1
		Item A Details 2
		Item A Details 3
		Item A Details 4
		Item A Details 5
		Item A Details 6
		Item A Details 7
	Item B	Item B Details 1

Product type	Item	Item Details
		Item B Details 2 Item B Details 3 Item B Details 4 Item B Details 5 Item B Details 6 Item B Details 7 Item B Details 8

**axf:repeat-cell-content-at-break="true"**

Product type	Item	Item Details
Product type 1	Item A	Item A Details 1 Item A Details 2 Item A Details 3 Item A Details 4 Item A Details 5 Item A Details 6 Item A Details 7
	Item B	Item B Details 1 Item B Details 2 Item B Details 3

Product type	Item	Item Details
Product type 1	Item B	Item B Details 4 Item B Details 5 Item B Details 6 Item B Details 7 Item B Details 8

**Using axf:repeat-cell-content-at-break="true" with 'axf:table-cell-repeated-marker'**

Product type	Item	Item Details
Product type 1	Item A	Item A Details 1 Item A Details 2 Item A Details 3 Item A Details 4 Item A Details 5 Item A Details 6 Item A Details 7
	Item B	Item B Details 1 Item B Details 2 Item B Details 3 Item B Details 4 Item B Details 5

Product type	Item	Item Details
Product type 1 (Continued)	Item B (Continued)	Item B Details 6 Item B Details 7 Item B Details 8